







FASTENERS & PLATES

SYSTEM ACCESSORIES






Versico offers a wide variety of fasteners and plates to enhance our roofing systems. From pre-assembled choices for VersiGard® installations to Purlin fasteners for Metal Retrofit Systems and HPVX plates for VersiWeld® options, our focus is to provide all components necessary for the application of a long-lasting, single-ply roofing system from Versico.

PRODUCT	DECK TYPE	USAGE	DESCRIPTION	SIZE	PACKAGING	
					SIZE	# PER CTN
HPV Fastener 	Steel (22 gauge & heavier) Wood Decks	VersiGard Membrane and Insulation Securement	<ul style="list-style-type: none"> • #3 Square Drive Recess • Flat Wafer Style Head and Buttruss Threads • Mini Drill Point 	<ul style="list-style-type: none"> • 1¼"– 4¼" (½" Increments) • 5"– 15" (1" Increments) • <i>Longer Fastener Sizes Available As Special Order</i> 	1¼"– 6"	1000
					7"– 12"	500
					13"– 15"	250
InsulTite 	Wood Decks Steel (22 gauge & heavier)	Insulation Only	<ul style="list-style-type: none"> • #3 Phillips Head • Deep Buttruss Threads 	<ul style="list-style-type: none"> • 1½", 2¼", 2⅞", • 3¼", 3¾", 4½" • 5"– 8" (1" Increments) 	1½"– 8"	1000
K-Fast (Sure-Tite) 	Steel (22 gauge & heavier)	VersiGard Membrane Securement For Mechanically Attached Systems	<ul style="list-style-type: none"> • Oversized #3 Phillips Flat Wafer Style Head • Modified Buttruss Threads 	<ul style="list-style-type: none"> • 2"– 8" (1" Increments) 	2", 3"	500
GypTec Fastener 	Cementitious Wood Fiber Lightweight Concrete Gypsum	VersiGard, VersiFlex™ and VersiWeld Membranes and Insulation Securement	<ul style="list-style-type: none"> • ¼" Square Drive • Glass-Filled Nylon Fastener 	<ul style="list-style-type: none"> • 2½"– 10" (½" Increments) 	2½"– 7½"	500
		GypTec Plate (not shown) 1000/ctn 2" Steel Plate for Membrane Attachment 3" Steel Plate for Insulation Attachment				










FASTENERS & PLATES

PRODUCT	DECK TYPE	USAGE	DESCRIPTION	SIZE	PACKAGING	
					SIZE	# PER CTN
MP 14-10 Fastener 	Structural Concrete	VersiGard, VersiFlex, VersiWeld Membrane Securement Over Wood & Concrete Decks, Insulation Securement Over Steel Decks	<ul style="list-style-type: none"> • #3 Phillips • Truss Head 	<ul style="list-style-type: none"> • 2"- 12" (1" Increments) • 14"- 24" (2" Increments) 	2"- 4"	1000
	Steel				5"- 11"	500
	CDX Plywood Wood Plank				12"- 24"	250
HP Lite Deck Fasteners 	Cementitious Wood Fiber	VersiGard and VersiWeld Membranes Insulation Only	<ul style="list-style-type: none"> • Threaded Oversize Diameter Fastener with #3 Square Drive 	<ul style="list-style-type: none"> • 2⁵/₈", 3", 4" • 5"- 8" (1" Increments) • 9"- 12" (1" Increments) 		500
	Lightweight Concrete					250
	Gypsum					125
HPVX Fastener 	Steel (20 or 22 gauge)	VersiWeld and VersiFlex Membranes	<ul style="list-style-type: none"> • #3 Phillips • Truss Head • Buttress Threads • Mini-Drill Point 	<ul style="list-style-type: none"> • 2"- 12" (1" Increments) • 12"- 14" (2" Increments) 	2"- 4"	1000
	Wood Decks				5"- 12"	500
					14"	250
HPV-XL Fastener 	Steel (22 gauge min)	VersiWeld and VersiFlex Membranes	<ul style="list-style-type: none"> • #3 Phillips Oversized Truss Head • Buttress Threads • Mini-Drill Point 	<ul style="list-style-type: none"> • 2"- 8" (1" Increments) 	2"- 6"	500
					7", 8"	250
CD 10 Nail-In Fastener 	Concrete Decks	VersiGard, VersiFlex and VersiWeld Membranes and Insulation Securement	<ul style="list-style-type: none"> • Hammer Driven • Compression Type Fastener • Diamond Point For Easy Installation 	<ul style="list-style-type: none"> • 2"- 6" (1/2" Increments) • 7"- 12" (1" Increments) 	2"-8"	500
					9"-12"	250






SYSTEM ACCESSORIES

PRODUCT	DECK TYPE	USAGE	DESCRIPTION	SIZE	PACKAGING	
					SIZE	# PER CTN
Purlin Fasteners 	Structural Steel Purlin (12 gauge max.)	VersiGard, VersiFlex and VersiWeld Metal Retrofit Membrane Securement	<ul style="list-style-type: none"> • ¼" Hex Head • Elongated Self-Drilling Point • Use with HPVX or Insulation Fastening Plates 	<ul style="list-style-type: none"> • 3" – 5" (1" Increments) • 6¼", 7¼" 	3" – 7¼"	500
Zinc Nail-In Anchors 	Concrete Brick Block Walls	VersiGard, VersiFlex and VersiWeld Membranes and Insulation Securement	<ul style="list-style-type: none"> • Zinc Plated Steel Pin with a Zinc Alloy Outer Body 	<ul style="list-style-type: none"> • 1¼" x ¼" 		1000
InsulTite ASAP 	Steel (22 gauge & heavier), Wood Decks	Insulation Only	<ul style="list-style-type: none"> • #3 Phillips Head • Buttfress Threads • Insultite Fastener • Pre-Assembled with Plastic Insulation Plate 	<ul style="list-style-type: none"> • 2¼", 2⅝", 3¼", 3¾", 4½" • 5"– 8" (1" Increments) • 9"– 12" • Available As Special Order 	2¼"– 8" 9"– 12"	250 200
HPV ASAP 	Steel (22 gauge & heavier), Wood Decks	VersiGard Membrane Securement	<ul style="list-style-type: none"> • #3 Square Drive • Wafer Style Head • Buttfress Threads • Mini Drill Point • Pre-assembled HPV Fastener with Polymer Seam Plate 	<ul style="list-style-type: none"> • 2¼"– 4¼" (½" Increments) • 5"– 12" (1" Increments) • Longer Fastener Sizes Available As Special Order 	2¼", 2¾", 3¼", 3¾", 4¼", 5", 6", 7", 8", 9", 10"– 12"	500 450 400 350 300 250 200
HPVX ASAP 	Steel (20 or 22 gauge) Wood Decks	VersiWeld and VersiFlex Membranes	<ul style="list-style-type: none"> • #3 Phillips Truss Head • Buttfress Threads • Mini-Drill Point • Pre-Assembled with HPVX Plate 	<ul style="list-style-type: none"> • 2"– 10" (1" Increments) • 12"– 14" (2" Increments) 	2"– 9" 10"– 12" 14"	250 200 150



FASTENERS & PLATES

SYSTEM ACCESSORIES

PRODUCT	USED WITH	USAGE	DESCRIPTION	SIZE	PACKAGING
					# PER CTN
HPVX-Plate 	HPVX Fastener	VersiWeld and VersiFlex Membranes, Steel, Concrete, Wood	<ul style="list-style-type: none"> 20 Gauge Metal Plate with Reinforcing Ribs and 12 "Gripping Teeth" 	• 2 3/8" (Diameter)	1000
HPV-XL Plate 	HPV-XL Fastener	VersiWeld and VersiFlex Membranes, Steel	<ul style="list-style-type: none"> 20 Gauge Metal Plate with Reinforcing Ribs and 12 "Gripping Teeth" Oversized Hole to Accommodate HPV-XL Fastener 	• 2 3/8" (Diameter)	1000
Polymer Seam Plate 	HPV Fastener	VersiGard Membrane Mechanically-Attached Systems, RTS Attachment	<ul style="list-style-type: none"> Round Nylon Plate with 16 Barb Profile on Underside 	• 2" (Diameter)	1000
Seam Fastening Plate 	HPV Fastener MP14-10, CD-10	VersiGard Membranes Mechanically-Attached Systems, (Excluding Steel Decks), RTS Attachment (Excluding Mechanically-Attached Systems Over Steel Decks)	<ul style="list-style-type: none"> 20 Gauge, Round Metal Plate with Aluminized Coating 	• 2" (Diameter)	1000
Insulation Fastening Plate 	Insul-Tite MP14-10, CD-10 HPV	Insulation Only on Steel, Wood and Concrete Decks	<ul style="list-style-type: none"> 26 Gauge Round Metal Plate with Aluminized Coating 	• 3"	1000

